

Supplementary Table ST1. Cultivable fungal characteristics of ILMAH surface samples

a) CFU counts for each sampling area during consecutive sampling events

Sampling area	Cultivable fungal population (CFU/m ²)			
	T ₀ (before crew occupation)	T ₁₃ (day 13)	T ₂₀ (day 20)	T ₃₀ (day 30)
1	1.58E+03	9.50E+02	BDL	BDL
2	1.30E+03	3.70E+02	4.10E+02	6.30E+02
3	7.78E+03	2.00E+02	5.55E+02	7.20E+02
4	2.89E+03	2.10E+03	8.75E+02	8.60E+02
5	3.29E+03	1.75E+03	5.70E+02	5.85E+02
6	9.39E+03	5.70E+03	7.20E+03	8.20E+02
7	8.77E+03	3.14E+03	1.26E+03	2.16E+03
8	2.52E+03	1.47E+04	1.48E+03	1.37E+03

b) CFU counts for specific ILMAH compartments

Time point	Location			
	Bedroom	Kitchen	Toilet	Lab area
T ₀	1.44E+03	5.33E+03	3.29E+03	6.89E+03
T ₁₃	6.60E+02	1.15E+03	1.75E+03	7.85E+03
T ₂₀	2.05E+02	7.15E+02	5.70E+02	3.31E+03
T ₃₀	3.15E+02	7.90E+02	5.85E+02	1.45E+03